Author Index

Adam, M., see Lichý, A. 563(1991)153
Addison, R. S., see Cannell, G. R. 563(1991)341
Advenier, C., see Palette, C. 563(1991)103
Agache, P., see Makki, S. 563(1991)407
Aoki, H., see Okazaki, O. 563(1991)313
Appelt, G., see Hänsler, M. 563(1991)63
Au, J. L.-S., see Wientjes, M. G. 563(1991)400
Baiocchi, C., see Silvestro, L. 563(1991)443
Barchielli, M., see Coppi, G. 563(1991)385
Berna, R. A. and Zacchei, A. G.
High-performance liquid chromatographic method for the determination of a novel leukotriene D_4 antagonist (MK-0571) in biological specimens 563(1991)458
Betto, P., Gianbenedetti, M., Ponti, F., Ferretti, R., Settimj, G., Gargiulo, M. and Lorenzini, R.
Application of a high-performance liquid chromatography coulometric method for the estimation of mebendazole and its metabolites in human sera 563(1991)115
Bontempelli, G., see Tagliaro, F. 563(1991)299
Boomsma, F., see Van Der Hoorn, F. A. J. 563(1991)348
Brown, N. D., Phillips, L. R., Leader, H. and Chiang, P. K.
Isolation and identification of *β*-hydroxyethylaprophen: a urinary metabolite of aprophen in rats 563(1991)466
Buinevicius, Z., see Sarin, M. 563(1991)129
Caccia, S., see Sarati, S. 563(1991)323
Caliceti, P., see Švagrová, I. 563(1991)95
Campos-Barreda, F., see Pou-Clave, L. 563(1991)211
Cannell, G. R., Mortimer, R. H., Maguire, D. J. and Addison, R. S.
Liquid chromatographic analysis of prednisolone, prednisone and their 20-reduced metabolites in perfusion media 563(1991)341
Carli, G., see Tagliaro, F. 563(1991)299
Caudill, D., see Rodriguez, P. A. 563(1991)271
Chen, F.-M., Liu, C.-Z., Gaffar, S. A. and Epstein, A. L.
Chromatographic methods for large-scale preparation of immunoglobulin G_{2a} monoclonal antibodies Lym-1 and TNT-1 $F(ab')_2$ fragments 563(1991)243
Chiang, P. K., see Brown, N. D. 563(1991)466
Chrisley, B. Mc., McNair, H. M. and Driskell, J. A.
Separation and quantification of the B_6 vitamers in plasma and 4-pyridoxic acid in urine of adolescent girls by reversed-phase high-performance liquid chromatography 563(1991)369
Chuchalin, A. G., see Gorchakov, V. D. 563(1991)166
Coppi, G. and Barchielli, M.
Simple high-performance liquid chromatographic method for the determination of PGT/1A, a new immunostimulating drug, in biological fluids 563(1991)385
Cordonnier, P., see Palette, C. 563(1991)103
Cottet-Emard, J. M., see Pagliari, R. 563(1991)23
Cozzone, P. J., see Masson, S. 563(1991)231
Damaj, M. I., Trouvin, J. H., Lambrey, B. and Jacquot, C.
Determination of a new 2-amino-2-oxazoline (COR 3224) in plasma and brain tissue of the rat by high-performance liquid chromatography with electrochemical detection 563(1991)476
Damani, L. A., see Stevenson, P. J. 563(1991)419
Damani, L. A., see Usansky, J. I. 563(1991)283
Daudon, F., see Dufay, C. 563(1991)224
Degen, P. H. and Schneider, W.
Rapid and sensitive determination of low concentrations of nicotine in plasma by gas chromatography with nitrogen-specific detection 563(1991)193
Desmoulin, F., see Masson, S. 563(1991)231
De Vries, A. J. and Nooter, K.
Quantification of mitoxantrone in bone marrow by high-performance liquid chromatography with electrochemical detection 563(1991)435
Di Giovannandrea, R., see Severini, G. 563(1991)147
Dixit, V., Nguyen, H. and Dixit, V. M.
Solid-phase extraction of fluoxetine and norfluoxetine from serum with gas chromatography–electron-capture detection 563(1991)379
Dixit, V. M., see Dixit, V. 563(1991)379
Dorizzi, R., see Tagliaro, F. 563(1991)11
Driskell, J. A., see Chrisley, B. Mc. 563(1991)369

Author Index

Adam, M., see Lichý, A. 563(1991)153
Addison, R. S., see Cannell, G. R. 563(1991)341
Advenier, C., see Palette, C. 563(1991)103
Agache, P., see Makki, S. 563(1991)407
Aoki, H., see Okazaki, O. 563(1991)313
Appelt, G., see Hänsler, M. 563(1991)63
Au, J. L.-S., see Wientjes, M. G. 563(1991)400
Baiocchi, C., see Silvestro, L. 563(1991)443
Barchielli, M., see Coppi, G. 563(1991)385
Berna, R. A. and Zacchei, A. G.
High-performance liquid chromatographic method for the determination of a novel leukotriene D_4 antagonist (MK-0571) in biological specimens 563(1991)458
Betto, P., Gianbenedetti, M., Ponti, F., Ferretti, R., Settimj, G., Gargiulo, M. and Lorenzini, R.
Application of a high-performance liquid chromatography coulometric method for the estimation of mebendazole and its metabolites in human sera 563(1991)115
Bontempelli, G., see Tagliaro, F. 563(1991)299
Boomsma, F., see Van Der Hoorn, F. A. J. 563(1991)348
Brown, N. D., Phillips, L. R., Leader, H. and Chiang, P. K.
Isolation and identification of *β*-hydroxyethylaprophen: a urinary metabolite of aprophen in rats 563(1991)466
Buinevicius, Z., see Sarin, M. 563(1991)129
Caccia, S., see Sarati, S. 563(1991)323
Caliceti, P., see Švagrová, I. 563(1991)95
Campos-Barreda, F., see Pou-Clave, L. 563(1991)211
Cannell, G. R., Mortimer, R. H., Maguire, D. J. and Addison, R. S.
Liquid chromatographic analysis of prednisolone, prednisone and their 20-reduced metabolites in perfusion media 563(1991)341
Carli, G., see Tagliaro, F. 563(1991)299
Caudill, D., see Rodriguez, P. A. 563(1991)271
Chen, F.-M., Liu, C.-Z., Gaffar, S. A. and Epstein, A. L.
Chromatographic methods for large-scale preparation of immunoglobulin G_{2a} monoclonal antibodies Lym-1 and TNT-1 $F(ab')_2$ fragments 563(1991)243
Chiang, P. K., see Brown, N. D. 563(1991)466
Chrisley, B. Mc., McNair, H. M. and Driskell, J. A.
Separation and quantification of the B_6 vitamers in plasma and 4-pyridoxic acid in urine of adolescent girls by reversed-phase high-performance liquid chromatography 563(1991)369
Chuchalin, A. G., see Gorchakov, V. D. 563(1991)166
Coppi, G. and Barchielli, M.
Simple high-performance liquid chromatographic method for the determination of PGT/1A, a new immunostimulating drug, in biological fluids 563(1991)385
Cordonnier, P., see Palette, C. 563(1991)103
Cottet-Emard, J. M., see Pagliari, R. 563(1991)23
Cozzone, P. J., see Masson, S. 563(1991)231
Damaj, M. I., Trouvin, J. H., Lambrey, B. and Jacquot, C.
Determination of a new 2-amino-2-oxazoline (COR 3224) in plasma and brain tissue of the rat by high-performance liquid chromatography with electrochemical detection 563(1991)476
Damani, L. A., see Stevenson, P. J. 563(1991)419
Damani, L. A., see Usansky, J. I. 563(1991)283
Daudon, F., see Dufay, C. 563(1991)224
Degen, P. H. and Schneider, W.
Rapid and sensitive determination of low concentrations of nicotine in plasma by gas chromatography with nitrogen-specific detection 563(1991)193
Desmoulin, F., see Masson, S. 563(1991)231
De Vries, A. J. and Nooter, K.
Quantification of mitoxantrone in bone marrow by high-performance liquid chromatography with electrochemical detection 563(1991)435
Di Giovannandrea, R., see Severini, G. 563(1991)147
Dixit, V., Nguyen, H. and Dixit, V. M.
Solid-phase extraction of fluoxetine and norfluoxetine from serum with gas chromatography–electron-capture detection 563(1991)379
Dixit, V. M., see Dixit, V. 563(1991)379
Dorizzi, R., see Tagliaro, F. 563(1991)11
Driskell, J. A., see Chrisley, B. Mc. 563(1991)369

Dua, V. K., Sarin, R. and Sharma, V. P.
Determination of sulfalene in plasma, red blood cells and whole blood by high-performance liquid chromatography 563(1991)333
Dubiel, W., see Ziegler, M. 563(1991)172
Dufay, C., Lecron, J. C., Daudon, F. and Gombert, J.
Rapid and simple procedure for the determination of salsolinol in urine using high-performance liquid chromatography with electrochemical detection 563(1991)224
Dyr, J. E. and Suttnar, J.
Affinity high-performance liquid chromatography on heparin-Glc-Spheron 563(1991)124
Dyr, J. E., see Suttnar, J. 563(1991)184
Eddy, C. L., see Rodriguez, P. A. 563(1991)271
Elzinga, H., see Hessels, J. 563(1991)1
Epstein, A. L., see Chen, F.-M. 563(1991)243
Fathi, M., Tsacopoulos, M., Raverdino, V. and Porthault, M.
Separation of nucleotides in homogenates of octopus retina by ion-pair reversed-phase liquid chromatography and identification by mass spectrometry 563(1991)356
Feinberg, H., see Sarin, M. 563(1991)129
Fenske, M. and Schönheiter, H.
Thin-layer chromatography on silica-coated aluminium sheet as an adjunct to radioimmunoassay of steroids 563(1991)178
Ferretti, R., see Betto, P. 563(1991)115
Ferro, R., see Silvestro, L. 563(1991)443
Fey, M. L., see Rodriguez, P. A. 563(1991)271
Fontanarava, E., see Masson, S. 563(1991)231
Gaffar, S. A., see Chen, F.-M. 563(1991)243
Gallion, C., see Molina, F. 563(1991)205
Gargiulo, M., see Betto, P. 563(1991)115
Gasiewicz, T. A., see Hahn, M. E. 563(1991)363
Gerber, G., see Grune, T. 563(1991)53
Gerber, G., see Ziegler, M. 563(1991)172
Gianbenedetti, M., see Betto, P. 563(1991)115
Gombert, J., see Dufay, C. 563(1991)224
Gorchakov, V. D., Sakodynskii, K. I., Lebedin, Y. S. and Chuchalin, A. G.
Immunoadsorbents for clinical use: *ex vivo* immunoglobulin E removal in allergy 563(1991)166
Gould, I. M., see Taylor, R. B. 563(1991)451
Grune, T., Siems, W., Gerber, G., Tikhonov, Y. V., Pimenov, A. M. and Toguzov, R. T.
Changes of nucleotide patterns in liver, muscle and blood during the growth of Ehrlich ascites cells: application of the reversed-phase and ion-pair reversed-phase high-performance liquid chromatography with radial compression column 563(1991)53
Guiso, G., see Sarati, S. 563(1991)323
Hahn, M. E. and Gasiewicz, T. A.
Determination of individual porphyrins in rodent urine using high-performance liquid chromatography following clean-up by anion-exchange chromatography 563(1991)363
Hakusui, H., see Okazaki, O. 563(1991)313
Hamelijnck, M. A. F., see Stevenson, P. J. 563(1991)419
Hänsler, M., Appelt, G. and Rogos, R.
Improved detection of human pancreatic proteins separated by two-dimensional isoelectric focusing/sodium dodecyl sulphate gel electrophoresis using a combined staining procedure 563(1991)63
Harada, M., see Hiraoka, B. Y. 563(1991)142
Hashem, A. and Lubczyk, B.
Determination of isoxsuprine in equine plasma by high-performance liquid chromatography with electrochemical detection 563(1991)216
Henke, W., see Ziegler, M. 563(1991)172
Hessels, J., Kingma, A. W., Sturkenboom, M. C. J. M., Elzinga, H., Van den Berg, G.A. and Muskiet, F. A. J.
Gas chromatographic determination of N-acetylisoputreanine-γ-lactam, a unique catabolite of N^1-acetylspermidine 563(1991)1
Hiraoka, B. Y. and Harada, M.
Use of L-prolyl-L-leucylglycinamide (MIF-1) for the high-performance liquid chromatographic determination of proline iminopeptidase activity in rat liver 563(1991)142
Holada, K., see Suttnar, J. 563(1991)184
Hrabák, P., see Tvrzická, E. 563(1991)188
Humbert, P., see Makki, S. 563(1991)407
Jacquot, C., see Damaj, M. I. 563(1991)476
James, G. T., see Peloquin, C. A. 563(1991)472
Jehl, F., see Molina, F. 563(1991)205
Joly, J. M. and Williams, W. M.
High-performance liquid chromatographic analysis of 5-ethylpyrimidines and 5-methylpyrimidines in plasma 563(1991)392
Kadaba, P. K., see Stevenson, P. J. 563(1991)419
Kazlauskas, R., see Lisi, A. M. 563(1991)257
Kežić, S. and Monster, A. C.
Determination of 2,5-hexanedione in urine and serum by gas chromatography after derivatization with O-(pentafluorobenzyl) hydroxylamine and solid-phase extraction 563(1991)199
Kingma, A. W., see Hessels, J. 563(1991)1

Köppel, C., Tenczer, J. and Peixoto-Menezes, K. M.
Formation of formaldehyde adducts from various drugs by use of methanol in a toxicological screening procedure with gas chromatography–mass spectrometry 563(1991)73
Krstulović, A. M.
Chromatography and modification of nucleosides, Part A (edited by C. W. Gehrke and K. C. T. Kuo) (Book Review) 563(1991)228
Lambrey, B., see Damaj, M. I. 563(1991)476
Leader, H., see Brown, N. D. 563(1991)466
Lebedin, Y. S., see Gorchakov, V. D. 563(1991)166
LeBoeuf, E., see Zimmerman, C. L. 563(1991)83
Lecron, J. C., see Dufay, C. 563(1991)224
Ledda, S., see Manca, L. 563(1991)158
Lehman-McKeeman, L. D., see Rodriguez, P. A. 563(1991)271
Levitsky, S., see Sarin, M. 563(1991)129
Lichý, A., Macek, J. and Adam, M.
Determination of hydroxylysylpyridinoline in tissues and urine by high-performance liquid chromatography 563(1991)153
Lisi, A. M., Trout, G. J. and Kazlauskas, R.
Screening for diuretics in human urine by gas chromatography–mass spectrometry with derivatisation by direct extractive alkylation 563(1991)257
Liu, C.-Z., see Chen, F.-M. 563(1991)243
Lorenzini, R., see Betto, P. 563(1991)115
Lubczyk, B., see Hashem, A. 563(1991)216
Macek, J., see Lichý, A. 563(1991)153
Maguire, D. J., see Cannell, G. R. 563(1991)341
Makki, S., Treffel, P., Humbert, P. and Agache, P.
High-performance liquid chromatographic determination of citropten and bergapten in suction blister fluid after solar product application in humans 563(1991)407
Malaguti Aliberti, L., see Severini, G. 563(1991)147
Manca, L., Masala, B., Ledda, S. and Naitana, S.
Separation of caprine globin chains by reversed-phase high-performance liquid chromatography: evidence for the presence of a silent β^B-globin allele in Sardinian sheep 563(1991)158
Man in 't Veld, A. J., see Van Der Hoorn, F. A. J. 563(1991)348
Mareš, P., see Tvrzická, E. 563(1991)188
Marigo, M., see Tagliaro, F. 563(1991)11
Marigo, M., see Tagliaro, F. 563(1991)299
Marmont, F., see Silvestro, L. 563(1991)443
Masala, B., see Manca, L. 563(1991)158
Masson, S., Sciaky, M., Desmoulin, F., Fontanarava, E. and Cozzone, P. J.
Simple cation-exchange high-performance liquid chromatography optimized to the measurement of metabolites in the effluents from perfused rat livers using refractive index and ultraviolet detectors 563(1991)231
McCarthy, E., see Peloquin, C. A. 563(1991)472
McNair, H. M., see Chrisley, B. Mc. 563(1991)369
Molina, F., Jehl, F., Gallion, C., Penner, F. and Monteil, H.
Determination of the third generation oral cephalosporin cefpodoxime in biological fluids by high-speed high-performance liquid chromatography 563(1991)205
Monster, A. C., see Kežić, S. 563(1991)199
Monteil, H., see Molina, F. 563(1991)205
Mortimer, R. H., see Cannell, G. R. 563(1991)341
Muskiet, F. A. J., see Hessels, J. 563(1991)1
Naitana, S., see Manca, L. 563(1991)158
Naline, E., see Palette, C. 563(1991)103
Nguyen, H., see Dixit, V. 563(1991)379
Nooter, K., see De Vries, A. J. 563(1991)435
Novaković, J., see Tvrzická, E. 563(1991)188
Okazaki, O., Aoki, H. and Hakusui, H.
High-performance liquid chromatographic determination of (*S*)-(−)-ofloxacin and its metabolites in serum and urine using a solid-phase clean-up 563(1991)313
Olsson, A., see Pettersson, K.-J. 563(1991)414
Pacáková, V., see Švagrová, I. 563(1991)95
Pagliari, R., Cottet-Emard, J. M. and Peyrin, L.
Determination of free and conjugated normetanephrine and metanephrine in human plasma by high-performance liquid chromatography with electrochemical detection 563(1991)23
Palette, C., Cordonnier, P., Naline, E., Advenier, C. and Pays, M.
High-performance liquid chromatographic method for the determination of the three main oxidative and 3-carboxylic antipyrine metabolites in human urine 563(1991)103
Pang, K. S., see Zimmerman, C. L. 563(1991)83
Pascual-Mostaza, C., see Pou-Clave, L. 563(1991)211
Pays, M., see Palette, C. 563(1991)103
Peixoto-Menezes, K. M., see Köppel, C. 563(1991)73
Peloquin, C. A., James, G. T. and McCarthy, E.
Improved high-performance liquid chromatographic assay for the determination of ethionamide in serum 563(1991)472
Penner, F., see Molina, F. 563(1991)205

Pettersson, K.-J. and Olsson, A.
Liquid chromatographic determination of the enantiomers of ibuprofen in plasma using a chiral AGP column 563(1991)414
Peyrin, L., see Pagliari, R. 563(1991)23
Phillips, L. R., see Brown, N. D. 563(1991)466
Pimenov, A. M., see Grune, T. 563(1991)53
Pimenov, A. M., see Ziegler, M. 563(1991)172
Ponti, F., see Betto, P. 563(1991)115
Porthault, M., see Fathi, M. 563(1991)356
Pou-Clave, L., Campos-Barreda, F. and Pascual-Mostaza, C.
Determination of ciprofloxacin in human serum by liquid chromatography 563(1991)211
Pristach, J., see Suttnar, J. 563(1991)184
Pisařiková, A., see Tvrzická, E. 563(1991)188
Ramos Carrillo, A., see Rotllán Pascual, P. 563(1991)37
Ratna, S., see Zimmerman, C. L. 563(1991)83
Raverdino, V., see Fathi, M. 563(1991)356
Reid, R. G., see Taylor, R. B. 563(1991)451
Rodriguez, P. A., Takigiku, R., Lehman-McKeeman, L. D., Fey, M. L., Eddy, C. L. and Caudill, D.
Design of a gas chromatograph with parallel radioactivity and mass spectrometric detection. Application to the identification of the major metabolite of *d*-limonene associated with α2u-globulin 563(1991)271
Rodríguez Del Castillo, A., see Rotllán Pascual, P. 563(1991)37
Rogos, R., see Hänsler, M. 563(1991)63
Rotllán Pascual, P., Ramos Carrillo, A. and Rodríguez Del Castillo, A.
Reversed-phase high-performance liquid chromatography of dinucleoside polyphosphates 563(1991)37
Ruban, V. F.
Rapid determination of phenylalanine in plasma by capillary high-performance liquid chromatography with electrochemical detection 563(1991)134
Saini, G., see Silvestro, L. 563(1991)443
Sakodynskii, K. I., see Gorchakov, V. D. 563(1991)166
Sarati, S., Guiso, G., Spinelli, R. and Caccia, S.
Determination of piribedil and its basic metabolites in plasma by high-performance liquid chromatography 563(1991)323
Sarin, M., Buinevicius, Z., Levitsky, S. and Feinberg, H.
Isocratic high-performance liquid chromatographic analysis of myocardial creatine phosphate and adenine nucleotides 563(1991)129
Sarin, R., see Dua, V. K. 563(1991)333
Schalekamp, M. A. D. H., see Van Der Hoorn, F. A. J. 563(1991)348
Schiavon, G., see Tagliaro, F. 563(1991)11
Schiavon, G., see Tagliaro, F. 563(1991)299
Schneider, W., see Degen, P. H. 563(1991)193
Schönheiter, H., see Fenske, M. 563(1991)178
Sciaky, M., see Masson, S. 563(1991)231
Settimj, G., see Betto, P. 563(1991)115
Severini, G., Malaguti Aliberti, L. and Di Giovannandrea, R.
Diagnostic aspects of alkaline phosphatase: separation of isoenzymes in normal and pathological human serum by high-performance liquid chromatography 563(1991)147
Sharma, V. P., see Dua, V. K. 563(1991)333
Siems, W., see Grune, T. 563(1991)53
Silvestro, L., Viano, I., Baiocchi, C., Saini, G., Marmont, F. and Ferro, R.
Quantitation of melphalan in plasma of patients by reversed-phase high-performance liquid chromatography with electrochemical detection 563(1991)443
Spinelli, R., see Sarati, S. 563(1991)323
Stevenson, P. J., Hamelijnck, M. A. F., Kadaba, P. K. and Damani, L. A.
Triazolines. XXIII. High-performance liquid chromatographic assay in rat blood for a novel triazoline anticonvulsant (ADD17014) 563(1991)419
Štulík, K., see Švagrová, I. 563(1991)95
Sturkenboom, M. C. J. M., see Hessels, J. 563(1991)1
Suttnar, J., Dyr, J. E., Pristach, J. and Holada, K.
Versatile modular microelectrophoresis system and the simultaneous preparation of large numbers of polyacrylamide gels 563(1991)184
Suttnar, J., see Dyr, J. E. 563(1991)124
Švagrová, I., Štulík, K., Pacáková, V., Caliceti, P. and Veronese, F. M.
Determination of narciclasine in serum by reversed-phase high-performance liquid chromatography: comparison of amperometric, ultraviolet photometric and fluorescence detection 563(1991)95
Tagliaro, F., Schiavon, G., Bontempelli, G., Carli, G. and Marigo, M.
Improved high-performance liquid chromatographic determination with amperometric detection of α-amanitin in human plasma based on its voltammetric study 563(1991)299

Tagliaro, F., Schiavon, G., Dorizzi, R. and Marigo, M.
Development of post-column enzymic reactors with immobilized alcohol oxidase for use in the high-performance liquid chromatographic assay of alcohols with electrochemical detection 563(1991)11
Takigiku, R., see Rodriguez, P. A. 563(1991)271
Taylor, R. B., Reid, R. G. and Gould, I. M.
Determination of teicoplanin in plasma using microbore high-performance liquid chromatography and injection-generated gradients 563(1991)451
Tenczer, J., see Köppel, C. 563(1991)73
Tikhonov, Y. V., see Grune, T. 563(1991)53
Tikhonov, Y. V., see Ziegler, M. 563(1991)172
Toguzov, R. T., see Grune, T. 563(1991)53
Toguzov, R. T., see Ziegler, M. 563(1991)172
Treffel, P., see Makki, S. 563(1991)407
Trout, G. J., see Lisi, A. M. 563(1991)257
Trouvin, J. H., see Damaj, M. I. 563(1991)476
Tsacopoulos, M., see Fathi, M. 563(1991)356
Tvrzická, E., Mareš, P., Písařiková, A., Novaković, J. and Hrabák, P.
Simplified gas chromatographic method for the simultaneous determination of phytosterols and cholesterol 563(1991)188
Usansky, J. I. and Damani, L. A.
Assay of metyrapone, metyrapol and the isomeric mono-N-oxides of metyrapone in biological fluids by high-performance liquid chromatography 563(1991)283
Van den Berg, G.A., see Hessels, J. 563(1991)1
Van Der Hoorn, F. A. J., Boomsma, F., Man in 't Veld, A. J. and Schalekamp, M. A. D. H.
Improved measurement of urinary catecholamines by liquid–liquid extraction, derivatization and high-performance liquid chromatography with fluorimetric detection 563(1991)348
Veronese, F. M., see Švagrová, I. 563(1991)95
Viano, I., see Silvestro, L. 563(1991)443
Wientjes, M. G. and Au, J. L.-S.
High-performance liquid chromatographic analysis of 2',3'-dideoxyinosine in biological samples 563(1991)400
Williams, W. M., see Joly, J. M. 563(1991)392
Zacchei, A. G., see Berna, R. A. 563(1991)458
Zhong, W. Z.
Determination of 3-(5-cyclopropyl-1,2,4-oxadiazol-3-yl)-5-(1-methylethyl)imidazo[1,5-*a*]quinoxalin-4(5*H*)-one in serum by high-performance liquid chromatography 563(1991)427
Ziegler, M., Dubiel, W., Henke, W., Gerber, G., Pimenov, A. M., Tikhonov, Y. V. and Toguzov, R. T.
Application of ion-pair high-performance liquid chromatography with radioisotope detection to *in vitro* studies of nucleoside metabolism in mitochondria 563(1991)172
Zimmerman, C. L., Ratna, S., LeBoeuf, E. and Pang, K. S.
High-performance liquid chromatographic method for the direct determination of 4-methylumbelliferone and its glucuronide and sulfate conjugates. Application to studies in the single-pass *in situ* perfused rat intestine–liver preparation 563(1991)83

Compound Index

N-Acetylisoputreanine-γ-lactam
Gas chromatographic determination of N-acetylisoputreanine-γ-lactam, a unique catabolite of N^1-acetylspermidine 563(1991)1

Acisoga
Gas chromatographic determination of N-acetylisoputreanine-γ-lactam, a unique catabolite of N^1-acetylspermidine 563(1991)1

ADD17014
Triazolines. XXIII. High-performance liquid chromatographic assay in rat blood for a novel triazoline anticonvulsant (ADD17014) 563(1991)419

Adenine nucleotides
Isocratic high-performance liquid chromatographic analysis of myocardial creatine phosphate and adenine nucleotides 563(1991)129

Adenine nucleotides catabolism metabolites
Simple cation-exchange high-performance liquid chromatography optimized to the measurement of metabolites in the effluents from perfused rat livers using refractive index and ultraviolet detectors 563(1991)231

Alkaline phosphatases
Diagnostic aspects of alkaline phosphatase: separation of isoenzymes in normal and pathological human serum by high-performance liquid chromatography 563(1991)147

Amanitin
Improved high-performance liquid chromatographic determination with amperometric detection of α-amanitin in human plasma based on its voltammetric study 563(1991)299

2-Amino-2-oxazoline
Determination of a new 2-amino-2-oxazoline (COR 3224) in plasma and brain tissue of the rat by high-performance liquid chromatography with electrochemical detection 563(1991)476

Antipyrine
High-performance liquid chromatographic method for the determination of the three main oxidative and 3-carboxylic antipyrine metabolites in human urine 563(1991)103

Aprophen
Isolation and identification of β-hydroxyethylaprophen: a urinary metabolite of aprophen in rats 563(1991)466

Bergapten
High-performance liquid chromatographic determination of citropten and bergapten in suction blister fluid after solar product application in humans 563(1991)407

Catecholamines
Improved measurement of urinary catecholamines by liquid–liquid extraction, derivatization and high-performance liquid chromatography with fluorimetric detection 563(1991)348

Cefpodoxime
Determination of the third generation oral cephalosporin cefpodoxime in biological fluids by high-speed high-performance liquid chromatography 563(1991)205

Cephalosporins
Determination of the third generation oral cephalosporin cefpodoxime in biological fluids by high-speed high-performance liquid chromatography 563(1991)205

Cholesterol
Simplified gas chromatographic method for the simultaneous determination of phytosterols and cholesterol 563(1991)188

Ciprofloxacin
Determination of ciprofloxacin in human serum by liquid chromatography 563(1991)211

Citropten
High-performance liquid chromatographic determination of citropten and bergapten in suction blister fluid after solar product application in humans 563(1991)407

COR 3224
Determination of a new 2-amino-2-oxazoline (COR 3224) in plasma and brain tissue of the rat by high-performance liquid chromatography with electrochemical detection 563(1991)476

Corticosterone
Thin-layer chromatography on silica-coated aluminium sheet as an adjunct to radioimmunoassay of steroids 563(1991)178

Cortisol
Thin-layer chromatography on silica-coated aluminium sheet as an adjunct to radioimmunoassay of steroids 563(1991)178

Creatine phosphate
Isocratic high-performance liquid chromatographic analysis of myocardial creatine phosphate and adenine nucleotides 563(1991)129

3-(5-Cyclopropyl-1,2,4-oxadiazol-3-yl)-5-(1-methylethyl)imidazo[1,5-*a*]quinoxalin-4(5*H*)-one
Determination of 3-(5-cyclopropyl-1,2,4-oxadiazol-3-yl)-5-(1-methylethyl)imidazo[1,5-*a*]quinoxalin-4(5*H*)-one in serum by high-performance liquid chromatography 563(1991)427

Deoxycorticosterone
Thin-layer chromatography on silica-coated aluminium sheet as an adjunct to radioimmunoassay of steroids 563(1991)178

Desmethyl-(*S*)-(−)-ofloxacin
High-performance liquid chromatographic determination of (*S*)-(−)-ofloxacin and its metabolites in serum and urine using a solid-phase clean-up 563(1991)313

Diadenosine polyphosphates
Reversed-phase high-performance liquid chromatography of dinucleoside polyphosphates 563(1991)37

2',3'-Dideoxyinosine
High-performance liquid chromatographic analysis of 2',3'-dideoxyinosine in biological samples 563(1991)400

Diguanosine polyphosphates
Reversed-phase high-performance liquid chromatography of dinucleoside polyphosphates 563(1991)37

Dinucleoside polyphospates
Reversed-phase high-performance liquid chromatography of dinucleoside polyphosphates 563(1991)37

Diuretics
Screening for diuretics in human urine by gas chromatography–mass spectrometry with derivatisation by direct extractive alkylation 563(1991)257

Dopamine
Improved measurement of urinary catecholamines by liquid–liquid extraction, derivatization and high-performance liquid chromatography with fluorimetric detection 563(1991)348

Drugs
Formation of formaldehyde adducts from various drugs by use of methanol in a toxicological screening procedure with gas chromatography–mass spectrometry 563(1991)73

Enzymes
Use of L-prolyl-L-leucylglycinamide (MIF-1) for the high-performance liquid chromatographic determination of proline iminopeptidase activity in rat liver 563(1991)142

Epinephrine
Improved measurement of urinary catecholamines by liquid–liquid extraction, derivatization and high-performance liquid chromatography with fluorimetric detection 563(1991)348

Ethanol
Development of post-column enzymic reactors with immobilized alcohol oxidase for use in the high-performance liquid chromatographic assay of alcohols with electrochemical detection 563(1991)11

Ethanol oxidation metabolites
Simple cation-exchange high-performance liquid chromatography optimized to the measurement of metabolites in the effluents from perfused rat livers using refractive index and ultraviolet detectors 563(1991)231

Ethionamide
Improved high-performance liquid chromatographic assay for the determination of ethionamide in serum 563(1991)472

5-Ethylpyrimidines
High-performance liquid chromatographic analysis of 5-ethylpyrimidines and 5-methylpyrimidines in plasma 563(1991)392

Fluoxetine
Solid-phase extraction of fluoxetine and norfluoxetine from serum with gas chromatography–electron-capture detection 563(1991)379

Formaldehyde adducts
Formation of formaldehyde adducts from various drugs by use of methanol in a toxicological screening procedure with gas chromatography–mass spectrometry 563(1991)73

α2u-Globulin
Design of a gas chromatograph with parallel radioactivity and mass spectrometric detection. Application to the identification of the major metabolite of *d*-limonene associated with α2u-globulin 563(1991)271

Glycolysis metabolites
Simple cation-exchange high-performance liquid chromatography optimized to the measurement of metabolites in the effluents from perfused rat livers using refractive index and ultraviolet detectors 563(1991)231

Haemoglobins
Separation of caprine globin chains by reversed-phase high-performance liquid chromatography: evidence for the presence of a silent β^0-globin allele in Sardinian sheep 563(1991)158

Heparin
Affinity high-performance liquid chromatography on heparin-Glc-Spheron 563(1991)124

2,5-Hexanedione
Determination of 2,5-hexanedione in urine and serum by gas chromatography after derivatization with O-(pentafluorobenzyl)hydroxylamine and solid-phase extraction 563(1991)199

***β*-Hydroxyethylaprophen**
Isolation and identification of *β*-hydroxyethylaprophen: a urinary metabolite of aprophen in rats 563(1991)466

Hydroxylysylpyridinoline
Determination of hydroxylysylpyridinoline in tissues and urine by high-performance liquid chromatography 563(1991)153

***p*-Hydroxypiribedil**
Determination of piribedil and its basic metabolites in plasma by high-performance liquid chromatography 563(1991)323

17-Hydroxyprogesterone
Thin-layer chromatography on silica-coated aluminium sheet as an adjunct to radioimmunoassay of steroids 563(1991)178

Ibuprofen
Liquid chromatographic determination of the enantiomers of ibuprofen in plasma using a chiral AGP column 563(1991)414

Immunoadsorbents
Immunoadsorbents for clinical use: *ex vivo* immunoglobulin E removal in allergy 563(1991)166

Immunoglobulin E
Immunoadsorbents for clinical use: *ex vivo* immunoglobulin E removal in allergy 563(1991)166

Immunoglobulin G_{2a}
Chromatographic methods for large-scale preparation of immunoglobulin G_{2a} monoclonal antibodies Lym-1 and TNT-1 $F(ab')_2$ fragments 563(1991)243

Isoxsuprine
Determination of isoxsuprine in equine plasma by high-performance liquid chromatography with electrochemical detection 563(1991)216

Ketogenesis metabolites
Simple cation-exchange high-performance liquid chromatography optimized to the measurement of metabolites in the effluents from perfused rat livers using refractive index and ultraviolet detectors 563(1991)231

Leukotriene D_4 antagonist
High-performance liquid chromatographic method for the determination of a novel leukotriene D_4 antagonist (MK-0571) in biological specimens 563(1991)458

***d*-Limonene**
Design of a gas chromatograph with parallel radioactivity and mass spectrometric detection. Application to the identification of the major metabolite of *d*-limonene associated with α2u-globulin 563(1991)271

Lym-1 $F(ab')_2$ fragment
Chromatographic methods for large-scale preparation of immunoglobulin G_{2a} monoclonal antibodies Lym-1 and TNT-1 $F(ab')_2$ fragments 563(1991)243

Mebendazole
Application of a high-performance liquid chromatography coulometric method for the estimation of mebendazole and its metabolites in human sera 563(1991)115

Melphalan
Quantitation of melphalan in plasma of patients by reversed-phase high-performance liquid chromatography with electrochemical detection 563(1991)443

Metabolites
Simple cation-exchange high-performance liquid chromatography optimized to the measurement of metabolites in the effluents from perfused rat livers using refractive index and ultraviolet detectors 563(1991)231

Metanephrine
Determination of free and conjugated normetanephrine and metanephrine in human plasma by high-performance liquid chromatography with electrochemical detection 563(1991)23

Methanol
Development of post-column enzymic reactors with immobilized alcohol oxidase for use in the high-performance liquid chromatographic assay of alcohols with electrochemical detection 563(1991)11

5-Methylpyrimidines
High-performance liquid chromatographic analysis of 5-ethylpyrimidines and 5-methylpyrimidines in plasma 563(1991)392

4-Methylumbelliferone
High-performance liquid chromatographic method for the direct determination of 4-methylumbelliferone and its glucuronide and sulfate conjugates. Application to studies in the single-pass *in situ* perfused rat intestine–liver preparation 563(1991)83

Metyrapol
Assay of metyrapone, metyrapol and the isomeric mono-N-oxides of metyrapone in biological fluids by high-performance liquid chromatography 563(1991)283

Metyrapone
Assay of metyrapone, metyrapol and the isomeric mono-N-oxides of metyrapone in biological fluids by high-performance liquid chromatography 563(1991)283

Metyrapone N-oxides
Assay of metyrapone, metyrapol and the isomeric mono-N-oxides of metyrapone in biological fluids by high-performance liquid chromatography 563(1991)283

MIF-1
Use of L-prolyl-L-leucylglycinamide (MIF-1) for the high-performance liquid chromatographic determination of proline iminopeptidase activity in rat liver 563(1991)142

Mitoxanthrone
Quantification of mitoxantrone in bone marrow by high-performance liquid chromatography with electrochemical detection 563(1991)435

MK-0571
High-performance liquid chromatographic method for the determination of a novel leukotriene D_4 antagonist (MK-0571) in biological specimens 563(1991)458

Narciclasine
Determination of narciclasine in serum by reversed-phase high-performance liquid chromatography: comparison of amperometric, ultraviolet photometric and fluorescence detection 563(1991)95

Nicotine
Rapid and sensitive determination of low concentrations of nicotine in plasma by gas chromatography with nitrogen-specific detection 563(1991)193

Norepinephrine
Improved measurement of urinary catecholamines by liquid–liquid extraction, derivatization and high-performance liquid chromatography with fluorimetric detection 563(1991)348

Norfluoxetine
Solid-phase extraction of fluoxetine and norfluoxetine from serum with gas chromatography–electron-capture detection 563(1991)379

Normetanephrine
Determination of free and conjugated normetanephrine and metanephrine in human plasma by high-performance liquid chromatography with electrochemical detection 563(1991)23

Nucleobases
Changes of nucleotide patterns in liver, muscle and blood during the growth of Ehrlich ascites cells: application of the reversed-phase and ion-pair reversed-phase high-performance liquid chromatography with radial compression column 563(1991)53

Nucleosides
Changes of nucleotide patterns in liver, muscle and blood during the growth of Ehrlich ascites cells: application of the reversed-phase and ion-pair reversed-phase high-performance liquid chromatography with radial compression column 563(1991)53

Application of ion-pair high-performance liquid chromatography with radioisotope detection to *in vitro* studies of nucleoside metabolism in mitochondria 563(1991)172

Nucleotides
Changes of nucleotide patterns in liver, muscle and blood during the growth of Ehrlich ascites cells: application of the reversed-phase and ion-pair reversed-phase high-performance liquid chromatography with radial compression column 563(1991)53

Separation of nucleotides in homogenates of octopus retina by ion-pair reversed-phase liquid chromatography and identification by mass spectrometry 563(1991)356

(*S*)-(−)-Ofloxacin
High-performance liquid chromatographic determination of (*S*)-(−)-ofloxacin and its metabolites in serum and urine using a solid-phase clean-up 563(1991)313

(*S*)-(−)-Ofloxacin N-oxide
High-performance liquid chromatographic determination of (*S*)-(−)-ofloxacin and its metabolites in serum and urine using a solid-phase clean-up 563(1991)313

PGT/1A
Simple high-performance liquid chromatographic method for the determination of PGT/1A, a new immunostimulating drug, in biological fluids 563(1991)385

Phenylalanine
Rapid determination of phenylalanine in plasma by capillary high-performance liquid chromatography with electrochemical detection 563(1991)134

Phytosterols
Simplified gas chromatographic method for the simultaneous determination of phytosterols and cholesterol 563(1991)188

Piribedil
Determination of piribedil and its basic metabolites in plasma by high-performance liquid chromatography 563(1991)323

Piribedil, catechol metabolite
Determination of piribedil and its basic metabolites in plasma by high-performance liquid chromatography 563(1991)323

Piribedil N-oxide
Determination of piribedil and its basic metabolites in plasma by high-performance liquid chromatography 563(1991)323

Porphyrins
Determination of individual porphyrins in rodent urine using high-performance liquid chromatography following clean-up by anion-exchange chromatography 563(1991)363

Prednisolone
Liquid chromatographic analysis of prednisolone, prednisone and their 20-reduced metabolites in perfusion media 563(1991)341

Prednisone
Liquid chromatographic analysis of prednisolone, prednisone and their 20-reduced metabolites in perfusion media 563(1991)341

Progesterone
Thin-layer chromatography on silica-coated aluminium sheet as an adjunct to radioimmunoassay of steroids 563(1991)178

Proline iminopeptidase
Use of L-prolyl-L-leucylglycinamide (MIF-1) for the high-performance liquid chromatographic determination of proline iminopeptidase activity in rat liver 563(1991)142

L-Prolyl-L-leucylglycinamide
Use of L-prolyl-L-leucylglycinamide (MIF-1) for the high-performance liquid chromatographic determination of proline iminopeptidase activity in rat liver 563(1991)142

Proteins
Improved detection of human pancreatic proteins separated by two-dimensional isoelectric focusing/sodium dodecyl sulphate gel electrophoresis using a combined staining procedure 563(1991)63

Affinity high-performance liquid chromatography on heparin-Glc-Spheron 563(1991)124

Versatile modular microelectrophoresis system and the simultaneous preparation of large numbers of polyacrylamide gels 563(1991)184

4-Pyridoxic acid
Separation and quantification of the B_6 vitamers in plasma and 4-pyridoxic acid in urine of adolescent girls by reversed-phase high-performance liquid chromatography 563(1991)369

3-L-Pyroglutamyl-L-thiazolidine-4-carboxylic acid
Simple high-performance liquid chromatographic method for the determination of PGT/1A, a new immunostimulating drug, in biological fluids 563(1991)385

Salsolinol
Rapid and simple procedure for the determination of salsolinol in urine using high-performance liquid chromatography with electrochemical detection 563(1991)224

Steroids
Thin-layer chromatography on silica-coated aluminium sheet as an adjunct to radioimmunoassay of steroids 563(1991)178

Simplified gas chromatographic method for the simultaneous determination of phytosterols and cholesterol 563(1991)188

Liquid chromatographic analysis of prednisolone, prednisone and their 20-reduced metabolites in perfusion media 563(1991)341

Sulfalene
Determination of sulfalene in plasma, red blood cells and whole blood by high-performance liquid chromatography 563(1991)333

Teicoplanin
Determination of teicoplanin in plasma using microbore high-performance liquid chromatography and injection-generated gradients 563(1991)451

Testosterone
Thin-layer chromatography on silica-coated aluminium sheet as an adjunct to radioimmunoassay of steroids 563(1991)178

TNT-1 $F(ab')_2$ fragment
Chromatographic methods for large-scale preparation of immunoglobulin G_{2a} monoclonal antibodies Lym-1 and TNT-1 $F(ab')_2$ fragments 563(1991)243

Triazolines
Triazolines. XXIII. High-performance liquid chromatographic assay in rat blood for a novel triazoline anticonvulsant (ADD17014) 563(1991)419

Tricarboxylic acid cycle metabolites
Simple cation-exchange high-performance liquid chromatography optimized to the measurement of metabolites in the effluents from perfused rat livers using refractive index and ultraviolet detectors 563(1991)231

B_6 Vitamers
Separation and quantification of the B_6 vitamers in plasma and 4-pyridoxic acid in urine of adolescent girls by reversed-phase high-performance liquid chromatography 563(1991)369

Erratum

J. Chromatogr., 534 (1990) 37–46
Page 42, Table I, "Retention time" should read "Total radioactivity".